




Probe Fixations Multifunctional. Convenient. Reliable.

- Custom built for DWL® probes
- Suitable for various applications
- Various adjustable options
- For monitoring and handheld probes
- Easy to use
- Fast signal finding



Probe Fixations

DiaMon®



DiaMon® with monitoring probes DiaMon® with handheld probes

- For awake patients in particular
- Particularly for functional long term monitoring and physiological tests
- Light and comfortable to wear
- Size-adjustable on forehead, skullcap and back of the head
- 21.6 - 29.1 inch head size

DiaMon® with monitoring probes

Metal free. Ideal for monitoring during radiological applications.

DiaMon® with handheld probes

For faster signal finding, optimal adjustment of the temporal ultrasound window and maintain of the signal.

LAM-Rack



LAM-Rack Standard LAM-Rack Cardiosurgery



LAM-Rack Neurosurgery LAM-Rack Mandibula

- For comatose or bed-ridden patients in particular
- Particularly for monitoring applications
- Light metal rack – fixation without parts at the back of the head
- Ideal for OR, ICU and Stroke Units
- Set of two sizes:
A (21.6 - 25.6 inch) and
B (19.6 - 21.6 inch)

LAM-Rack Standard

Particularly for functional long term monitoring and physiological tests

LAM-Rack Cardiosurgery

Particularly for monitoring applications during carotid surgery

LAM-Rack Neurosurgery

Particularly for monitoring applications during neurosurgical procedures

LAM-Rack Mandibula

Particularly for patient, whose nose cannot be used as a fixation point

Elastic Headband



L / XL XS / S / M

- For awake patients in particular
- Particularly for functional long term monitoring and physiological tests
- Light, elastic and comfortable to wear
- Metal free, complete made of silicone
- Ideal for radiological applications
- Size adjustable silicone bands for forehead and back of the head

Elastic Headband XS / S / M

For forehead and back of the head from 16.9 - 21.2 inch

Elastic Headband L / XL

For forehead and back of the head from 21.2 - 26.7 inch

Adhesive Sets



- Alternative fixing method
- For comatose or bed-ridden patients in particular
- Particularly long term monitoring in OR, ICU and Stroke Units
- Metal free
- For transcranial examinations with 4 MHz monitoring probes

Authorized DWL® Distributor

